

VEXCEL
IMAGING

ULTRACAM

Calibration Report



Copyright © 2020 by Vexcel Imaging GmbH, Graz - Austria.

The contents of this document may not be reproduced in any form or communicated to any third party without the prior written consent of Vexcel Imaging GmbH.

While every effort is made to ensure its correctness, Vexcel Imaging GmbH assumes no responsibility neither for errors and omissions which may occur in this document nor for damage caused by them.

Vexcel Imaging GmbH does not make a commitment to update the information and software discussed in this document.

All mentioned trademarks or registered trademarks are owned by their respective owners.

Printed in Austria at Vexcel Imaging GmbH. All rights reserved.

Bahia, Brasil 2013

Photo on page 1 courtesy of Hiparc Geotecnologia, Brasil

www.hiparc.com

UltraCam Lp, GSD25 cm, RGB



ULTRACAM

Geometric Calibration

Camera: UltraCam Eagle M3

Serial: 431S91288X112115-f80

Panchromatic Camera: ck = 79.800 mm

Multispectral Camera: ck = 79.800 mm

PPA Information: X: 0.000 mm

Y: 0.000 mm



Panchromatic Camera

Large Format Panchromatic Output Image

| | | | |
|--------------------------------------|--|-----------------------|--------------------------|
| Image Format | long track cross track | 68.016mm 105.840mm | 17004pixel 26460pixel |
| Image Extent | | (-34.008, -52.920)mm | (34.008, 52.920)mm |
| Pixel Size | | 4.000µm*4.000µm | |
| Focal Length | ck | 79.800mm | ± 0.002mm |
| Principal Point (Level 2) | X_ppa | 0.000mm | ± 0.002mm |
| | Y_ppa | 0.000mm | ± 0.002mm |
| Lens Distortion | Remaining Distortion less than 0.002mm | | |

Multispectral Camera


Medium Format Multispectral Output Image

(Upscaled to panchromatic image format)

| | | | |
|--------------------------------------|--|-----------------------|------------------------|
| Image Format | long track cross track | 68.016mm 105.840mm | 5668pixel 8820pixel |
| Image Extent | | (-34.008, -52.920)mm | (34.008, 52.920)mm |
| Pixel Size | | 12.000µm*12.000µm | |
| Focal Length | ck | 79.800mm | ± 0.002mm |
| Principal Point (Level 2) | X_ppa | 0.000mm | ± 0.002mm |
| | Y_ppa | 0.000mm | ± 0.002mm |
| Lens Distortion | Remaining Distortion less than 0.002mm | | |




Full Panchromatic Image, Residual Error Diagram



Residual Error (RMS): 0.66 μm



Green Cone (Cone 5), Residual Error Diagram



Residual Error (RMS): 0.45 μm



Explanations

Calibration Method:

The geometric calibration is based on a set of 140 images of a defined geometry target with 394 GCPs.


Number of point measurements for the panchromatic camera : >16000
Number of point measurements for the multispectral camera : >60000

Determination of the image parameters by Least Squares Adjustment.

Software used for the adjustment: BINGO (GIP Eng. Aalen, Germany)

Level 2 Image Coordinate System:

Lvl2, Camera prop. Orientation




Example:
PPA_x = - 0.123 mm
PPA_y = + 0.345 mm




The image coordinate system of the Level 2 images is shown in the above figure. The basic image format and coordinate of the principal point in the level 2 image is given on page 4 of this report. The above figure shows the position of an example principal point at the coordinate (-0.123 / 0.345).

**Level 3 Image Coordinate System:**

(after rotation of 270° CW)



Panchromatic Image Format



Multispectral Image Format

Position of Principal Point in Level 3 Image


The position of the principal point in the level 3 image depends on the “rotation” setting used in UltraMap during the pan-sharpening step. The exact position relative to the image center is given in the table below as a function of the rotation setting used in UltraMap. The coordinates are specified for clockwise (CW) rotation in steps of 90 degrees, according to the principal point coordinate given on page 4 for high- and low resolution images.

| Image Format | Clockwise Rotation (Degree) | PPA | |
|--------------|-----------------------------|-------|-------|
| | | X | Y |
| Level 2 | - | 0.000 | 0.000 |
| Level 3 | 0 | 0.000 | 0.000 |
| Level 3 | 90 | 0.000 | 0.000 |
| Level 3 | 180 | 0.000 | 0.000 |
| Level 3 | 270 | 0.000 | 0.000 |




The coordinates in the figure below are only example values to illustrate the effect of image rotation on the principal point position, and do **not** correspond to the camera described in this report.


Lvl3, Rotation 0 deg clockwise




Lvl3, Rotation 90 deg clockwise



Lvl3, Rotation 270 deg clockwise



Lvl3, Rotation 180 deg clockwise





Lens Resolving Power

The following curves show the development of the modulation transfer function across different image heights of the panchromatic cones.



Please note that these values have been calculated and can vary up to 10% with optics from production (especially at high LP's).



The curves are given for the meridional (tangential) and sagital (radial) component of signals at frequencies of 12.5, 25, 50 and 100 line pairs per millimeter.

As the MTF is a function of the specific aperture size used, one set of curves is given for each aperture size.


Lens types

| Cone | Lens |
|------------|---|
| C0 (PAN) | Qioptic Vexcel HR Digaron 1:5,6/80mm, Qioptic GmbH, Germany |
| C1 (PAN) | Qioptic Vexcel HR Digaron 1:5,6/80mm, Qioptic GmbH, Germany |
| C2 (PAN) | Qioptic Vexcel HR Digaron 1:5,6/80mm, Qioptic GmbH, Germany |
| C3 (PAN) | Qioptic Vexcel HR Digaron 1:5,6/80mm, Qioptic GmbH, Germany |
| C4 (RED) | Qioptic Vexcel HR Digaron 1:4/27mm, Qioptic GmbH, Germany |
| C5 (GREEN) | Qioptic Vexcel HR Digaron 1:4/27mm, Qioptic GmbH, Germany |
| C6 (BLUE) | Qioptic Vexcel HR Digaron 1:4/27mm, Qioptic GmbH, Germany |
| C7 (NIR) | Qioptic Vexcel HR Digaron 1:4/27mm, Qioptic GmbH, Germany |

Modulation versus Image Height - Aperture f / 5.6

Modulation versus Image Height - Aperture f / 6.7


Modulation versus Image Height - Aperture f / 8

Modulation versus Image Height - Aperture f / 9.5


Spectral Sensitivity





ULTRACAM

Radiometric Calibration

Camera:

UltraCam Eagle M3

Serial:

431S91288X112115-f80

| Used Apertures | PAN | R, G, NIR | B |
|----------------|------|-----------|------|
| | F5.6 | F4.8 | F4.8 |
| | F6.7 | F5.4 | F4.8 |
| | F8 | F6.7 | F4.8 |
| | F9.5 | F8 | F5.6 |
| | F11 | F9.5 | F6.7 |
| | F13 | F11 | F8 |
| | F16 | F13 | F9.5 |
| | F22 | F19 | F13 |


Dead Pixel Report: see Appendix I



Calibration of Vignetting for working Aperture F6.7


| Aperture | PAN | R, G, NIR | B |
|----------|------|-----------|------|
| | F6.7 | F5.4 | F4.8 |

Graphical Overview of Pan Sensors:



| | | |
|-------|-------|-------|
| 00_00 | 01_00 | 00_01 |
| 02_00 | 03_00 | 02_01 |
| 00_02 | 01_01 | 00_03 |

Graphical Overview of Multispectral Sensors:



| | |
|------------------|-----------------|
| 04_00 (RED) | 06_00 (BLUE) |
| 05_00 (GREEN) | 07_00 (NIR) |



Explanations

Calibration Method:

The radiometric calibration is based on a series of 50 flat field images for each aperture size and sensor. The flat field is illuminated by eight normal light lamps with known spectral illumination curves.

These images are used to calculate the specific sensitivity of each pixel to compensate local as well as global variations in sensitivity. Sensitivity tables are calculated for each sensor and aperture setting, and applied during post processing from level 0 to level 1.

Outlier Pixels that do not have a linear behavior as described in the CCD specifications are marked as defective during the calibration procedure. These pixels are not used or only partially used during post processing and the information is restored by interpolation between the neighborhood pixels surrounding the defective pixels.

Certain pixels that are named Qmax pixels due to the fact that they can only store and transfer charge up to a certain maximum amount are detected in an additional calibration step. These pixels are treated differently during post processing, since their behavior can affect not only single pixel values but whole columns.



ULTRACAM

Shutter Calibration

Camera:

UltraCam Eagle M3

Serial:

431S91288X112115-f80

Panchromatic Camera:

4 * Prontor Magnetic 0 HS

Prontor-Werk Alfred Gauthier GmbH, Germany

Multispectral Camera:

4 * Prontor Magnetic 0 HS

Prontor-Werk Alfred Gauthier GmbH, Germany



Calibration of Shutter Release Times:

The shutter release times measured during the calibration describe the time from the moment when the electrical current through the shutter is turned off by the electronics, until the shutter is mechanically closed.

This time is relevant for the exposure control and needs to be known before image recording can take place.

Currently used SRT values (operation values):

| Cone Number | Lens Serial Number | SRT F5.6 [ms] | SRT F6.7 [ms] | SRT F8 [ms] | SRT F9.5 [ms] | SRT F11 [ms] | SRT F13 [ms] | SRT F16 [ms] | SRT F22 [ms] | Measurement Tolerance [ms] |
|---------------|--------------------|---------------|---------------|-------------|---------------|--------------|--------------|--------------|--------------|----------------------------|
| C0 (Pan) | 12 09 99 26 | 6.57 | 6.71 | 6.98 | 7.21 | 7.42 | 7.52 | 7.70 | 7.96 | +/- 0.2 |
| C1 (Pan) | 12 09 99 31 | 7.00 | 7.18 | 7.52 | 7.73 | 7.89 | 8.02 | 8.15 | 8.52 | +/- 0.2 |
| C2 (Pan) | 12 09 99 30 | 6.34 | 6.55 | 6.95 | 7.13 | 7.26 | 7.39 | 7.63 | 7.91 | +/- 0.2 |
| C3 (Pan) | 12 09 99 25 | 6.32 | 6.54 | 6.85 | 7.06 | 7.24 | 7.34 | 7.44 | 7.88 | +/- 0.2 |
| C4 (Red) | 12 09 99 36 | 7.62 | 7.68 | 7.77 | 7.88 | 7.99 | 8.16 | 8.24 | 8.51 | +/- 0.2 |
| C5 (Green) | 12 09 99 38 | 7.26 | 7.47 | 7.61 | 7.71 | 7.78 | 7.93 | 8.00 | 8.19 | +/- 0.2 |
| C6 (Blue) | 12 09 99 37 | 7.57 | 7.59 | 7.59 | 7.66 | 7.88 | 8.00 | 8.04 | 8.33 | +/- 0.2 |
| C7 (NIR) | 12 09 99 34 | 8.09 | 8.09 | 8.10 | 8.27 | 8.56 | 8.75 | 8.75 | 9.16 | +/- 0.2 |



ULTRACAM

Electronics and Sensor Calibration

Camera: UltraCam Eagle M3

Serial: 431S91288X112115-f80

Panchromatic Camera: 9 * FTF9060-M Area CCD Sensor by DALSA

Multispectral Camera: 4 * FTF9060-M Area CCD Sensor by DALSA



Calibration of Negative Substrate Voltage (VNS):

For optimum performance of the DALSA CCD sensors, the negative substrate voltage is adjusted to a value specified by DALSA.

This voltage value is measured to achieve the best anti-blooming performance possible for each particular sensor.

Currently used VNS and VOG values (operation values):

| Cone_Sensor | Sensor Type | Sensor Serial Number | VNS Voltage [V] | VOG Voltage [V] |
|---------------|-------------|----------------------|-----------------|-----------------|
| 00_00 | FTF9060-M | 18 7966/003 | 22.40 | 6.33 |
| 00_01 | FTF9060-M | 18 7966/034 | 22.80 | 6.78 |
| 00_02 | FTF9060-M | 18 4458/052 | 22.00 | 6.68 |
| 00_03 | FTF9060-M | 18 4458/056 | 22.40 | 5.98 |
| 01_00 | FTF9060-M | 18 4458/041 | 22.20 | 6.25 |
| 01_01 | FTF9060-M | 18 4458/051 | 22.80 | 6.59 |
| 02_00 | FTF9060-M | 18 7966/069 | 22.40 | 6.32 |
| 02_01 | FTF9060-M | 18 4458/044 | 22.20 | 6.35 |
| 03_00 | FTF9060-M | 18 7966/050 | 22.40 | 6.35 |
| 04_00 (red) | FTF9060-M | 18 4458/037 | 22.00 | 6.32 |
| 05_00 (green) | FTF9060-M | 18 4458/060 | 22.40 | 6.14 |
| 06_00 (blue) | FTF9060-M | 18 4458/047 | 22.00 | 6.11 |
| 07_00 (NIR) | FTF9060-M | 18 7966/059 | 22.40 | 6.37 |



Calibration of Intensity Threshold for Exposure Control:

Each CCD sensor and electronics module varies slightly in global sensitivity and intensity scale.

Therefore the maximum possible intensity of each sensor needs to be measured to evaluate the sensitivity behavior of the CCD and electronics.

This value is used as a threshold for the exposure control dialogue shown in the in-flight user interface of the Eagle.

Currently used Threshold values (operation values):

| Cone_Sensor | Sensor Type | Sensor Serial Number | Intensity Threshold [DN] | |
|---------------|-------------|----------------------|--------------------------|-------|
| | | | Tap 1 | Tap2 |
| 00_00 | FTF9060-M | 18 7966/003 | 13710 | 12620 |
| 00_01 | FTF9060-M | 18 7966/034 | 13530 | 12760 |
| 00_02 | FTF9060-M | 18 4458/052 | 13800 | 12920 |
| 00_03 | FTF9060-M | 18 4458/056 | 13700 | 13290 |
| 01_00 | FTF9060-M | 18 4458/041 | 13710 | 12680 |
| 01_01 | FTF9060-M | 18 4458/051 | 13050 | 12210 |
| 02_00 | FTF9060-M | 18 7966/069 | 13960 | 13100 |
| 02_01 | FTF9060-M | 18 4458/044 | 13660 | 12820 |
| 03_00 | FTF9060-M | 18 7966/050 | 14050 | 13200 |
| 04_00 (red) | FTF9060-M | 18 4458/037 | 13720 | 12870 |
| 05_00 (green) | FTF9060-M | 18 4458/060 | 13640 | 12720 |
| 06_00 (blue) | FTF9060-M | 18 4458/047 | 13670 | 12740 |
| 07_00 (NIR) | FTF9060-M | 18 7966/059 | 13520 | 12640 |



ULTRACAM

Summary

Camera: UltraCam Eagle M3
Serial: 431S91288X112115-f80


Laboratory Calibration Date: Mar-10-2020
Camera Revision: Rev03.00

Date of Report: Mar-13-2020
Version of Report: V01

The following calibrations have been performed for the above mentioned digital aerial mapping camera:

- Geometric Calibration
- Radiometric Calibration
- Shutter Calibration
- Sensor and Electronics Calibration

This equipment is operating fully within specification as defined by Vexcel Imaging GmbH.



Dr. Michael Gruber
Chief Scientist, Photogrammetry
Vexcel Imaging GmbH



Dipl. Ing. (FH) Helmut Jauk
Senior Project Engineer R&D
Vexcel Imaging GmbH



Appendix I

Dead Pixel Report:

| Sensor number | Anomaly type | X-Coordinate | Y-Coordinate |
|---------------|--------------|--------------|--------------|
|---------------|--------------|--------------|--------------|

C00-00

PIXEL: 147/4647
PIXEL: 468/ 937
PIXEL: 1141/1165
PIXEL: 1141/5690
PIXEL: 1724/1932
PIXEL: 2083/3663
PIXEL: 3113/2308
PIXEL: 3322/4336
PIXEL: 3489/ 82
PIXEL: 4105/2365
PIXEL: 5013/1329
PIXEL: 5811/5588
PIXEL: 5843/4953
PIXEL: 5843/4954
PIXEL: 6839/1537
PIXEL: 6952/2808
PIXEL: 7306/4379
PIXEL: 8089/3437
PIXEL: 8565/5401
PIXEL: 8899/2794
PIXEL: 2985/4549
PIXEL: 3125/1693
PIXEL: 3489/3631
PIXEL: 3125/1694
PIXEL: 3490/3631

C00-01

PIXEL: 943/1463
PIXEL: 3498/4232
PIXEL: 3986/3857
PIXEL: 4624/5765
PIXEL: 5328/4598
PIXEL: 5624/5680
PIXEL: 5823/4595
PIXEL: 6016/5470



PIXEL: 6446/5495
PIXEL: 6508/ 672
PIXEL: 6749/5639
PIXEL: 7865/4563
PIXEL: 8216/5426
PIXEL: 8812/4999
PIXEL: 8935/4941
PIXEL: 52/5886
PIXEL: 935/5358
PIXEL: 1003/5645
PIXEL: 1599/5221
PIXEL: 3072/4198
PIXEL: 3072/4199
PIXEL: 4217/5254
PIXEL: 4217/5255
PIXEL: 6682/5158
PIXEL: 7639/4598
PIXEL: 7640/4598
PIXEL: 8167/ 574
PIXEL: 9022/5890
PIXEL: 7640/4597

C00-02

PIXEL: 2551/ 461
PIXEL: 3633/2986
PIXEL: 5675/3499
PIXEL: 6812/1076
PIXEL: 8730/1223
PIXEL: 8996/3118
PIXEL: 2425/5610
PIXEL: 4530/5282
PIXEL: 5110/4223
PIXEL: 8467/ 808
PIXEL: 8722/5786
PIXEL: 8805/5533
PIXEL: 9024/5925
PIXEL: 4530/5281
PIXEL: 5110/4222

C00-03

PIXEL: 1714/ 690
PIXEL: 2352/4445
PIXEL: 2942/ 58
PIXEL: 5699/5436
PIXEL: 6197/4640
PIXEL: 7695/5169
PIXEL: 7879/1776
PIXEL: 1413/1915
PIXEL: 2581/1746



PIXEL: 2655/2505
PIXEL: 3906/5979
PIXEL: 3906/5980
PIXEL: 9043/ 18
PIXEL: 2580/1746

C01-00

PIXEL: 142/ 839
PIXEL: 1371/2744
PIXEL: 3487/4466
PIXEL: 3515/ 628
PIXEL: 4504/4423
PIXEL: 4555/3170
PIXEL: 6305/ 338
PIXEL: 7380/5766
PIXEL: 188/3328
PIXEL: 505/1320
PIXEL: 4546/1653
PIXEL: 4886/3928
PIXEL: 7668/5373
PIXEL: 8360/5117
PIXEL: 7026/5782

C01-01

PIXEL: 3201/3144
PIXEL: 4571/3564
PIXEL: 4662/2538
PIXEL: 4665/2537
PIXEL: 4666/2537
PIXEL: 4786/5006
PIXEL: 5532/2967
PIXEL: 6322/3744
PIXEL: 7193/2860
PIXEL: 8847/5471
PIXEL: 459/5075
PIXEL: 1064/5672
PIXEL: 2712/5215
PIXEL: 8870/5679
PIXEL: 9022/ 93

C02-00

PIXEL: 407/2395
PIXEL: 1800/1829
PIXEL: 2043/1695
PIXEL: 4517/1628
PIXEL: 5100/4265
PIXEL: 5239/1551
PIXEL: 5339/2796
PIXEL: 7293/4285

**C02-01**

PIXEL: 65/5297
PIXEL: 1103/5441
PIXEL: 3824/5649
PIXEL: 3984/3809
PIXEL: 3984/3810
PIXEL: 4053/3975
PIXEL: 4053/3977
PIXEL: 4057/4008
PIXEL: 4057/4009
PIXEL: 4057/4010
PIXEL: 4585/1101
PIXEL: 4904/4622
PIXEL: 6285/5124
PIXEL: 6463/2313
PIXEL: 7513/4551
PIXEL: 8201/1072
PIXEL: 8728/ 355
PIXEL: 3855/1520

C03-00

PIXEL: 562/5856
PIXEL: 3180/1428
PIXEL: 3353/3769
PIXEL: 3361/5340
PIXEL: 3757/4283
PIXEL: 5981/2682
PIXEL: 7293/ 408
PIXEL: 314/4831
PIXEL: 315/4831
PIXEL: 315/4832

C04-00

PIXEL: 203/ 40
PIXEL: 2126/3583
PIXEL: 3414/3635
PIXEL: 5342/1069
PIXEL: 5786/ 19
PIXEL: 7644/ 773

C05-00

PIXEL: 8153/ 909
PIXEL: 28/1542
PIXEL: 609/ 342
PIXEL: 803/2285
PIXEL: 3195/ 629
PIXEL: 3884/ 792



PIXEL: 4696/4247
PIXEL: 5624/1014
PIXEL: 3194/ 629

C06-00

PIXEL: 8959/4168
PIXEL: 1048/5160
PIXEL: 2382/4426
PIXEL: 7841/1185
PIXEL: 3157/5930
PIXEL: 3157/5931
PIXEL: 3158/5930
PIXEL: 7877/2486
PIXEL: 8958/4168
PIXEL: 8960/4168
PIXEL: 8959/4169

C07-00

PIXEL: 376/4315
PIXEL: 5207/4342
PIXEL: 8942/1752
PIXEL: 4956/5595
PIXEL: 4957/5595
PIXEL: 6115/1746
PIXEL: 6986/3635
PIXEL: 6987/3635
PIXEL: 8210/2004
PIXEL: 6986/3636

Notes

COLUMN anomaly: all pixels below the Qmax detector at location (X,Y) may be affected.
PIXEL anomaly: single detector at location (X,Y) is not functioning within normal range

The Level0 coordinates exclude the two leftmost pixels containing the line index: the corresponding pixel can therefore be located at column (X+2,Y).



Appendix II

Calibration and Modification Dates

| Type of Calibration | Laboratory Calibration Date | Modification Date | Modification Reason |
|------------------------------------|-----------------------------|-------------------|---------------------|
| Geometric Calibration | 10.Mar.2020 | 10.Mar.2020 | |
| Radiometric Calibration | 10.Mar.2020 | 10.Mar.2020 | |
| Shutter Calibration | 10.Mar.2020 | 10.Mar.2020 | |
| Electronics and Sensor Calibration | 10.Mar.2020 | 10.Mar.2020 | |

Note: The above-mentioned Laboratory Calibration Dates represent the dates the camera was calibrated in one of our calibration labs for a full Laboratory Calibration. The Modification date represents a date on which the calibration has been modified due to a calibration enhancement or part exchange. It is an additional information and does not replace the Laboratory Calibration date in any way. With the Modification Reason, always the last modification to the calibration is highlighted